

Embrace
the future of
electric
aerial lifts



Innovation
High Technology
Performance
Power



LEARN MORE ABOUT
OUR RANGE ON OUR WEBSITES



blue impact

Blue Impact unites France Élévateur, RUTHMANN, Versalift, and MOVEX to offer the best selection of electric and hybrid aerial work platforms. We are redefining industry standards by introducing the future of elevated performance through innovation.

Powered by cutting-edge technology, our electric platforms are designed to meet the evolving needs of modern industries. The Blue Impact campaign underscores our commitment to leading the future with advanced technology, delivering an exceptional experience and unmatched performance.

We recognise the industries' demand for reliable and efficient equipment, and we are dedicated to exceeding those expectations. Trust us to provide the optimal solutions for your business with our fully electric platforms.

Join us in shaping the future of elevated performance – together, we can reach new heights.



What does blue impact mean ?

In recent years, innovative technology has increasingly paved the way for fully electric lifts. We believe this wave of innovation will transform our industry, driving solutions that incorporate the latest technology while addressing the environmental challenges of our time.

**Blue Impact
embraces all of this.**



A global group, brands close to you

Time Manufacturing, a leading manufacturer of aerial lifts, proudly includes France Élévateur, Versalift, RUTHMANN, and MOVEX in Europe, along with Brand FX and Aspen Aerials in the Americas. With a proven track record of high-quality and innovative products, we leverage our extensive engineering expertise to deliver highly customised equipment for various industries. Our global manufacturing capabilities are supported by a robust network of distribution and upfitting facilities across the Americas, Europe, and Asia.

- GLOBAL HEADQUARTERS
- FACTORIES & ASSEMBLY FACILITIES
- SALES AND SERVICE HEADQUARTERS

+10

FACTORIES

158.000

SQM TOTAL

+ 2.500

EMPLOYEES

+ 40

SALES AND SERVICE
HEADQUARTERS

+ 100

INTERNATIONAL
DISTRIBUTORS

+ 80

COUNTRIES
SERVED



VERSALIFT



Founded in 1984 near Nancy, France Élévateur was the first French manufacturer of aerial work platforms and offers customers customised machines specifically designed for their business, including industries such as public lighting, roofers, rental companies, railway networks, live works, telecom networks and more.

France Élévateur provides an integrated network of 14 after-sales service agencies throughout France, ensuring a high level of responsiveness and specialist maintenance.

With a large distributor network and after-sales service centres worldwide, Versalift is committed to keeping you safe whilst maximising your productivity.

Versalift manufactures a variety of cutting-edge aerial lift solutions, with support, manufacturing and sales operations in multiple European locations including Denmark, the United Kingdom, Ireland, Sweden, and Norway.

As a market-leader in innovation and reliability, Versalift offers equipment tailored to the unique needs of various industries, including rental, telecommunications, utilities, street lighting, and more.

With a large distributor network and after-sales service centres worldwide, Versalift is committed to keeping you safe whilst maximising your productivity.

RUTHMANN Holdings GmbH is a leading manufacturer of aerial work platforms globally. Brands STEIGER®, ECOLINE and BLUELIFT are known worldwide for their innovation and quality. With a focus on cost-effective solutions and the highest safety standards, RUTHMANN offers comprehensive services throughout the entire product lifecycle, from development to after-sales support.

By combining expertise and experience, RUTHMANN has earned a reputation for exceptional quality, technology, and reliability. Guided by a customer-oriented approach, RUTHMANN ensures performance and reliability, driving dynamic company growth and the utmost customer satisfaction.

MOVEX, a company with a 70-year legacy, began its journey in machine repair before evolving into a manufacturer of machinery.

Renowned for hydraulic telescopic truck cranes and later, self-propelled cranes, MOVEX has become a leader in Spain's lifting and handling equipment industry. Today, MOVEX offers a diverse range of products, including aerial work platforms tailored for various industries such as construction, infrastructure maintenance, power line installation, industrial maintenance and more.



CHASSIS

VTX-240 G3 electric

IVECO E-DAILY

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	37 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	1 h
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	e-PTO **
VEHICLE RANGE *	100 km

* Depending on driving style, weather conditions and the age of the battery

** 0,46 kWh per full cycle (Approx. 1,5 km pr cycle)

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	24,2 m
OUTREACH (m)	12,5 m
BASKET CAPACITY (kg)	2200 kg
BASKET DIMENSIONS (m)	1,40 x 0,70 x 1,10 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	420°
SWIVELLING ANGLE OF THE JIB	0°/180°
GVW (kg)	4500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C
PAYOUT (kg)	1800 kg
LENGTH (m)	7,62 m
HEIGHT (m)	2,23 m
SLOPE (SIDEWAYS)	1°
SLOPE (LENGTHWAYS)	1°



VAN

VTL-140-F electric



FORD E-TRANSIT

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	67 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	8 h (11 kW)
BATTERY CAPACITY POWERPACK *	200 Ah
CHARGING TIME POWERPACK *	5 h
CYCLES *	30
VEHICLE RANGE *	193 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13,7 m
OUTREACH (m)	7,9 m
BASKET CAPACITY (kg)	200 kg
BASKET DIMENSIONS (m)	1,04 x 0,62 x 1,0 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	420°
SWIVELLING ANGLE OF THE JIB	140°
GVW (kg)	2500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C1
PAYOUT (kg)	625 kg
LENGTH (m)	6,76 m
HEIGHT (m)	3,40 m
SLOPE (SIDEWAYS)	3°
SLOPE (LENGTHWAYS)	5°



VTL-135-F electric

UK MODEL

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	67 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	8 h (11 kW)
BATTERY CAPACITY POWERPACK *	200 Ah
CHARGING TIME POWERPACK *	5 h
CYCLES *	30
VEHICLE RANGE *	193 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13,5
OUTREACH (m)	8 m
BASKET CAPACITY (kg)	200 kg
BASKET DIMENSIONS (m)	1,04 x 0,6 x 1,0 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	40°
SWIVELLING ANGLE OF THE JIB	140°
GVW (kg)	4 250 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B1
PAYOUT (kg)	500 kg
LENGTH (m)	6,80 m
HEIGHT (m)	3,40 m
SLOPE (DEPTH/WAY)	3°
SLOPE (LENGTH/WAY)	5°



VTL-145-F electric



RENAULT MASTER E-TECH

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	87 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	4 h
BATTERY CAPACITY POWERPACK *	200 Ah
CHARGING TIME POWERPACK *	5 h
CYCLES *	30
VEHICLE RANGE *	300 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	14,4 m
OUTREACH (m)	8,8 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,04 x 0,6 x 1,10 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	42°
SWIVELLING ANGLE OF THE JIB	140°
GVW (kg)	4000 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B/C
PAYOUT (kg)	369 kg
LENGTH (m)	7,00 m
HEIGHT (m)	3,25 m
SLOPE (SIDEWAYS)	3°
SLOPE (LENGTHWAYS)	5°



CHASSIS



Ampero TBR 260 E

IVECO E-DAILY

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	74 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	1 h
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	4 h
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	40***
VEHICLE RANGE *	175 km

* Depending on driving style, weather conditions and the age of the battery
** Up to 3

blue impact

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	26 m
OUTREACH (m)	17 m
BASKET CAPACITY (kg)	250 kg*
BASKET DIMENSIONS (m)	1,40 x 0,70 m OPTIONAL 1,60 x 0,70 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	140°
SWIVELLING ANGLE OF THE JIB	18°
GVW (kg)	5200 kg (7000 kg)
LICENSE TYPE DEPENDING ON COUNTRY REGULATION	C1
PAYOUT (kg)	65 kg (120 kg)
LENGTH (m)	9,1 m
HEIGHT (m)	3,7 m
SLOPE (SIDEWAYS)	5°
SLOPE (LENGTHWAYS)	5°

* Optional up to 30 kg
** Up to 3



CHASSIS



e-TOPY 11 FORD E-TRANSIT

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	68 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h (100kW)
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	3h41
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	317 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	11,1 m
OUTREACH (m)	6 m
BASKET CAPACITY (kg)	120 kg
BASKET DIMENSIONS (m)	0,85 x 0,75 x 1,15 m
Nº OF PEOPLE IN THE BASKET	1
LIFT ROTATION	40°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	5500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYOUT (kg)	325 kg
LENGTH (m)	6,03 m
HEIGHT (m)	2,66 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



CHASSIS

e-TOPY 10.2

FORD E-TRANSIT

BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	68 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h (100kW)
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	3h41
BATTERY CAPACITY POWERPACK *	-
CHARGING TIME POWERPACK *	No powerpack
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	317 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	10,4 m
OUTREACH (m)	5,30 m
BASKET CAPACITY (kg)	2000 kg
BASKET DIMENSIONS (m)	0,11 x 0,7 x 1,15 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	400°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	3500 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYOUT (kg)	325 kg
LENGTH (m)	6,03 m
HEIGHT (m)	2,66 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



VAN

e-UPTO 13

RENAULT MASTER E-TECH



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	52 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	2h44
BATTERY CAPACITY POWERPACK *	300 Ah
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	204 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	13,2
OUTREACH (m)	8,0
BASKET CAPACITY (kg)	230
BASKET DIMENSIONS (m)	1,1 x 0,7 x 1,15
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	40°
SWIVELLING ANGLE OF THE BUIB	180°
GVW (kg)	3500
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYOUT (kg)	-
LENGTH (m)	5,9
HEIGHT (m)	3,2
SLOPE (SIDEWAYS)	2,6
SLOPE (LENGTHWAYS)	8,3



VAN

e-121 FT

RENAULT MASTER E-TECH



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	52 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	2h44
BATTERY CAPACITY POWERPACK *	180 Ah
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	204 km

* Depending on driving style, weather conditions and the age of the battery

blueimpact

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	12 m
OUTREACH (m)	7 m
BASKET CAPACITY (kg)	120 kg
BASKET DIMENSIONS (m)	0,85 x 0,7 x 1,15 m
Nº OF PEOPLE IN THE BASKET	1
LIFT ROTATION	40°
SWIVELLING ANGLE OF THE JIB	WITHOUT
GVW (kg)	3000 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYOUT (kg)	2500 kg
LENGTH (m)	6,56 m
HEIGHT (m)	3,25 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



VAN

e-121 FTcc

RENAULT MASTER E-TECH



BATTERY TYPE	Lithium
BATTERY CAPACITY VEHICLE	52 kWh
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 kW, 20-80 %)	0,5 h (100kW) 1,50 h (50kW)
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 kW, 20-80 %)	2h24
BATTERY CAPACITY POWERPACK *	180 Ah
CHARGING TIME POWERPACK *	-
CYCLES *	MODEL TO BE LAUNCHED
VEHICLE RANGE *	204 km

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES	
WORKING HEIGHT (m)	12 m
OUTREACH (m)	7 m
BASKET CAPACITY (kg)	120 kg
BASKET DIMENSIONS (m)	0,85 x 0,7 x 1,15 m
Nº OF PEOPLE IN THE BASKET	1
LIFT ROTATION	40°
SWIVELLING ANGLE OF THE BUMPER	WITHOUT
GVW (kg)	3000 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	B
PAYOUT (kg)	375 kg
LENGTH (m)	5,87 m
HEIGHT (m)	3,25 m
SLOPE (SIDEWAYS)	2,86°
SLOPE (LENGTHWAYS)	8,53°



CHASSIS

182 CPM

RENAULT D19 E-TECH



BATTERY TYPE Lithium

BATTERY CAPACITY VEHICLE 280 kWh

CHARGING TIME VEHICLE 1h35
(FAST CHARGE, DC 80 kW, 20-80 %) WITH 150 kW DC

CHARGING TIME VEHICLE 4h55
(REGULAR CHARGE, AC 22 kW, 20-80 %) 43 kW

BATTERY CAPACITY POWERPACK * -

CHARGING TIME POWERPACK * -

CYCLES * MODEL TO BE LAUNCHED

VEHICLE RANGE * 315 km

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m) 18.8 m

OUTREACH (m) 12.2 m

BASKET CAPACITY (kg) 265 kg

BASKET DIMENSIONS (m) 1,30 x 0,75 x 1,15

Nº OF PEOPLE IN THE BASKET 2

LIFT ROTATION 40°

SWIVELLING ANGLE OF THE JIB 180°

GVW (kg) 9.000 kg

LICENSE TYPE
DEPENDING ON COUNTRY REGULATIONS C

PAYOUT (kg) 3.000 kg

LENGTH (m) 7,55 m

HEIGHT (m) 5,35 m

SLOPE (SIDEWAYS) 2,8°


SLOPE (LENGTHWAYS) 8,5°



* Depending on driving style, weather conditions and the age of the battery



TRACKED



blueimpact

BLUELIFT SA11



BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	4,8 kWh
CHARGING TIME POWERPACK *	4 h
CYCLES *	18
VEHICLE RANGE *	-


* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	10,8 m
OUTREACH (m)	6,7 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1,1 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	340°
SWIVELLING ANGLE OF THE JIB	90°
GVW (kg)	532 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYOUT (kg)	-
LENGTH (m)	3,70 m
HEIGHT (m)	1,92 m
SLOPE (SIDEWAYS)	4,5°
SLOPE (LENGTHWAYS)	4,2°



ACKED



BLUELIFT C13

BLUELITHIUM

BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE	-
FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE	-
REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	4,8 kWh
CHARGING TIME POWERPACK *	4 h
VEHICLES *	18
VEHICLE RANGE *	-

Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN AUSTRALIA

WORKING HEIGHT (m)	13 m
OUTREACH (m)	7,5 m
BASKET CAPACITY (kg)	230 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	340°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	1550 kg
LICENSE TYPE	-
DEPENDING ON COUNTRY REGULATIONS	-
PAYOUT (kg)	-
LENGTH (m)	4,59 m
HEIGHT (m)	1,95 m
SLOPE (SIDeways)	10°
SLOPE (LENGTHWays)	10°



TRACKED




BLUELIFT SA16



BLUELITHIUM

 BATTERY TYPE **Lithium (48 V)**

BATTERY CAPACITY VEHICLE

-

 CHARGING TIME VEHICLE
 (FAST CHARGE, DC 80 KW, 20-80 %)

-

 CHARGING TIME VEHICLE
 (REGULAR CHARGE, AC 22 KW, 20-80 %)

-

 BATTERY CAPACITY POWERPACK * **4,8 KWh**

 CHARGING TIME POWERPACK * **4 h**

 CYCLES * **18**

VEHICLE RANGE *

-

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%

0%

100%

80%

60%

40%

20%



TRACKED

BLUELIFT SA18 HB



BLUELITHIUM

BATTERY TYPE

Lithium (48 V)

BATTERY CAPACITY VEHICLE

-

CHARGING TIME VEHICLE

(FAST CHARGE, DC 80 KW, 20-80 %)

-

CHARGING TIME VEHICLE

(REGULAR CHARGE, AC 22 KW, 20-80 %)

-

BATTERY CAPACITY POWERPACK *

4,8 KWh

CHARGING TIME POWERPACK *

4 h

CYCLES *

18

VEHICLE RANGE *

-

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)

17,8 m

OUTREACH (m)

9,3 m

BASKET CAPACITY (kg)

230 kg

BASKET DIMENSIONS (m)

1,30 x 0,70 x 1 m

Nº OF PEOPLE IN THE BASKET

2

LIFT ROTATION

340°

SWIVELLING ANGLE OF THE BJB

110°

GVW (kg)

350 kg

LICENSE TYPE
DEPENDING ON COUNTRY REGULATIONS

-

PAYOUT (kg)

-

LENGTH (m)

4,40 m

HEIGHT (m)

1,99 m


SLOPE (SIDEWAYS)

10°

SLOPE (LENGTHWAYS)

10°

* Depending on driving style, weather conditions and the age of the battery



TRACKED

blue impact

BLUELIFT SA22

BLUELITHIUM



BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	9,6 kWh
CHARGING TIME POWERPACK *	6 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	22 m
OUTREACH (m)	10,9 m
BASKET CAPACITY (kg)	250 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	360°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	350 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYOUT (kg)	-
LENGTH (m)	5,20 m
HEIGHT (m)	1,98 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°



TRACKED




BLUELIFT SA26



BLUELITHIUM

BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	9,6 kWh
CHARGING TIME POWERPACK *	6 h
CYCLES *	18
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery



NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	2,6 m
OUTREACH (m)	14,5 m
BASKET CAPACITY (kg)	250 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1,10
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	360°
SWIVELLING ANGLE OF THE JIB	110°
GVW (kg)	300 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYOUT (kg)	-
LENGTH (m)	5,60 m
HEIGHT (m)	1,98 m
SLOPE (SIDEWAYS)	10°
SLOPE (LENGTHWAYS)	10°



TRACKED



blue impact

BLUELIFT SA31



BATTERY TYPE	Lithium (48 V)
BATTERY CAPACITY VEHICLE	-
CHARGING TIME VEHICLE (FAST CHARGE, DC 80 KW, 20-80 %)	-
CHARGING TIME VEHICLE (REGULAR CHARGE, AC 22 KW, 20-80 %)	-
BATTERY CAPACITY POWERPACK *	9,6 kWh
CHARGING TIME POWERPACK *	6 h
CYCLES *	10
VEHICLE RANGE *	-

* Depending on driving style, weather conditions and the age of the battery

NOT AVAILABLE IN ALL COUNTRIES

WORKING HEIGHT (m)	31 m
OUTREACH (m)	17,3 m
BASKET CAPACITY (kg)	250 kg
BASKET DIMENSIONS (m)	1,30 x 0,70 x 1 m
Nº OF PEOPLE IN THE BASKET	2
LIFT ROTATION	360 °
SWIVELLING ANGLE OF THE JIB	110 °
GVW (kg)	1750 kg
LICENSE TYPE DEPENDING ON COUNTRY REGULATIONS	-
PAYOUT (kg)	-
LENGTH (m)	5,75 x 6,5 m
HEIGHT (m)	1,99 m
SLOPE (SIDEWAYS)	7 °
SLOPE (LENGTHWAYS)	6 °

We are everywhere.

FRANCE
FRANCE ELEVATEUR
ZAC du Plateau
54630 Flavigny-sur-Moselle
+33 3 83 23 31 32
contact@france-elevateur.fr

DENMARK
VERSALIFT DENMARK
Søndervang 3, 9
640 Farsø
+45 98632433
salg@versalift.dk

ENGLAND
VERSALIFT UNITED KINGDOM LIMITED
1 Altendiez Way, Burton Latimer
Northants, NN15 5YT
+44 1536 721010
sales@versalift.co.uk

IRELAND
VERSALIFT IRELAND LIMITED
Unit 55, Broomhill Drive
Tallaght, Dublin 24
+353 818 021 092
sales@versalift.ie

NORWAY
VERSALIFT NORWAY
Industriområde Grav 9
1860 Trøgstad
+47 6910 9169
salg@versalift.no

SWEDEN
VERSALIFT SWEDEN
Servicevägen 45
311 32 Falkenberg
+46 10-17 17 530
sales@versalift.se

GERMANY
RUTHMANN HOLDINGS GMBH
Ruthmannstraße 4
48712 Gescher
+49 2863 204-0
info@ruthmann.de

AUSTRIA
RUTHMANN AUSTRIA GMBH
Gewerbeparkstr. 3
8143 Döbl
+43 3136 55350
info@ruthmann.at

SWITZERLAND
RUTHMANN Schweiz AG
Steinackerstrasse 57
8302 Kloten
+41 43 255 42 00
info@ruthmann-schweiz.ch

SPAIN

MOVEX LIFT
Carretera de Vic, 80/82
08530 La Garriga
+34 93 849 37 77
info@movexlift.com

VERSALIFT SPAIN
C/ Marqués de San Esteban 2
Oficina 210
33206 Gijón Asturias
+34 6153 57491
jose@versalift.es

BELGIUM
FE BENELUX
Rue de la Terre A Briques 22b
7522 Tournai
+32 56 51 40 26
fontaine.g@fe-group.com

ITALY
RUTHMANN ITALIA S.R.L.
Via Santa Maria del piano di Sotto 91/B
47854 Montescudo
+39 541 756872
info@ruthmann.it

**FIND OUR
EUROPEAN
LOCATIONS
ON THIS
MAP**





FIND A FULL LIST
OF OUR DISTRIBUTORS ONLINE



FRANCE-ELEVATEUR.FR/EN/



VERSALIFTINTERNATIONAL.COM



EN.RUTHMANN.DE



MOVEXLIFT.COM/EN




ARTISTIC DIRECTION & DESIGN
AGENCE ALCHIMY

PHOTOGRAPHER
THOMAS DEVARD

blueimpact

ELECTRIC POWER
ELEVATED
PERFORMANCE

The background of the image features abstract, flowing blue wavy lines of varying shades, creating a sense of motion and depth. The lines are最浓 at the bottom and become lighter towards the top.

blue*impact*

ELECTRIC POWER · ELEVATED PERFORMANCE